

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	11	((Brusotti near3 Stefano) (Coda near3 Zabetta near3 Francesco)).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/19 20:20
S2	2	((Brusotti near3 Stefano) (Coda near3 Zabetta near3 Francesco)).in. AND intrusion.clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/19 20:21
S3	149	726/23.ccls. AND (IDS (intrusion near3 (detect\$4 prevent\$4))).ab. AND (@ad< "20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/19 20:31
S10	23	((IDS (intrusion near3 (detect \$4 prevent\$4))).ab. AND ((test\$4 replicat\$4 clon\$4 simulat\$4) with block\$4 with (package communicat\$4 connect\$4)) AND (@ad< "20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/19 20:43
S11	17	((IDS (intrusion near3 (detect \$4 prevent\$4))).clm. AND ((test\$4 replicat\$4 clon\$4 simulat\$4) with (detect\$4 examin\$6 check\$4 determin \$4) with (packet communicat \$4 connect\$4) with ((drop\$4 block\$4 allow\$4) near4 (session communicat\$4 connect\$4 packet)))) AND (@ad< "20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/19 20:54
S12	6	"726"/\$.ccls. AND (IDS (intrusion near3 (detect\$4 prevent\$4))).ab. AND ((test \$4 replicat\$4 clon\$4 simulat \$4) with block\$4 with (packete communicat\$4 connect\$4 stream)) AND (@ad< "20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/19 20:54

S13	10	"726"/\$.ccls. AND (IDS (intrusion near3 (detect\$4 prevent\$4))).ab. AND ((test \$4 replicat\$4 clon\$4 simulat \$4) with block\$4 with (packet communicat\$4 connect\$4 stream)) AND (@ad<"20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/19 20:54
S14	4	726/23.ccls. AND (IDS (intrusion near3 (detect\$4 prevent\$4))).ab. AND ((test \$4 replicat\$4 clon\$4 simulat \$4) with block\$4 with (packet communicat\$4 connect\$4 stream)) AND (@ad<"20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/19 20:54
S15	10	"726"/\$.ccls. AND (IDS (intrusion near3 (detect\$4 prevent\$4))).ab. AND ((test \$4 replicat\$4 clon\$4 simulat \$4) with block\$4 with (packet communicat\$4 connect\$4 stream)) AND (@ad<"20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/19 20:54
S16	4	"713"/\$.ccls. AND (IDS (intrusion near3 (detect\$4 prevent\$4))).ab. AND ((test \$4 replicat\$4 clon\$4 simulat \$4) with block\$4 with (packet communicat\$4 connect\$4 stream)) AND (@ad<"20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/19 20:54
S17	2	"370"/\$.ccls. AND (IDS (intrusion near3 (detect\$4 prevent\$4))).ab. AND ((test \$4 replicat\$4 clon\$4 simulat \$4) with block\$4 with (packet communicat\$4 connect\$4 stream)) AND (@ad<"20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/19 20:54
S20	68	(IDS (intrusion near3 (detect \$4 prevent\$4))).ab. AND (((simulat\$4 test\$4) (copy\$4 clon\$4)) near5 (packet message) same ((drop\$4 block\$4 forward\$4 re\$2direct \$4 allow\$4) near5 (message packet session connect\$4))) AND (@ad<"20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/19 21:08

S27	10	(IDS (intrusion near3 (detect \$4 prevent\$4)) ((virus worm attack\$4 hack\$4 malicious mal\$2ware\$2) near4 (detect \$4 scan\$4))).ab. AND ((test \$4 replicat\$4 clon\$4 simulat\$4) with (detect\$4 examin \$6 check\$4 determin\$4) with (packet communicat\$4 connect\$4) with ((drop\$4 block\$4 allow\$4) near4 (session communicat\$4 connect\$4 packet)))) AND (@ad< "20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/20 13:42
S28	20	(IDS (intrusion near3 (detect \$4 prevent\$4)) ((virus worm attack\$4 hack\$4 malicious mal\$2ware\$2) near4 (detect \$4 scan\$4))).ab. AND ((test \$4 replicat\$4 clon\$4 simulat\$4) with (detect\$4 examin \$6 check\$4 determin\$4) with (packet communicat\$4 connect\$4) same ((drop\$4 block\$4 allow\$4) near4 (session communicat\$4 connect\$4 packet)))) AND (@ad< "20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/22 13:59
S29	14	(IDS (intrusion near3 (detect \$4 prevent\$4)) ((virus worm attack\$4 hack\$4 malicious mal\$2ware\$2) near4 (detect \$4 scan\$4))).ab. AND ((test \$4 replicat\$4 clon\$4 simulat\$4) with (detect\$4 examin \$6 check\$4 determin\$4) with (packet communicat\$4 connect\$4) same ((drop\$4 block\$4 allow\$4) near4 (session communicat\$4 connect\$4 packet)))) AND ((simulat\$4 test\$4 replicat\$4 duplicat\$4 clon\$4 copy\$4 copied) near6 (system machine device packet message) with (virus worm attack\$4 hack\$4 malicious mal\$2ware\$2 DoS IDS firewall)) AND (@ad< "20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/22 14:02

S30	14	(IDS (intrusion near3 (detect \$4 prevent\$4)) ((virus worm attack\$4 hack\$4 malicious mal\$2ware\$2) near4 (detect \$4 scan\$4))).clm. AND ((test\$4 replicat\$4 clon\$4 simulat\$4) with (detect\$4 examin\$6 check\$4 determin \$4) with (packet communicat \$4 connect\$4) same ((drop \$4 block\$4 allow\$4) near4 (session communicat\$4 connect\$4 packet)))) AND ((simulat\$4 test\$4 replicat \$4 duplicat\$4 clon\$4 copy\$4 copied) near6 (system machine device packet message) with (virus worm attack\$4 hack\$4 malicious mal\$2ware\$2 DoS IDS firewall)) AND (@ad< "20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/22 14:03
S31	4	(IDS (intrusion near3 (detect \$4 prevent\$4)) ((virus worm attack\$4 hack\$4 malicious mal\$2ware\$2) near4 (detect \$4 scan\$4))).clm. AND ((test\$4 replicat\$4 clon\$4 simulat\$4) with (detect\$4 examin\$6 check\$4 determin \$4) with (packet communicat \$4 connect\$4) same ((drop \$4 block\$4 allow\$4) near4 (session communicat\$4 connect\$4 packet)))) AND ((simulat\$4 test\$4 replicat \$4 duplicat\$4 clon\$4) near6 (system machine device) with (threat\$4 virus worm attack\$4 hack\$4 malicious mal\$2ware\$2 DoS IDS firewall)) AND (@ad< "20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/22 14:12

S32	20	((IDS (intrusion near3 (detect \$4 prevent\$4)) ((virus worm attack\$4 hack\$4 malicious mal\$2ware\$2) near4 (detect \$4 scan\$4))) AND ((test\$4 replicat\$4 clon\$4 simulat\$4) with (detect\$4 examin\$6 check\$4 determin\$4) with (packet communicat\$4 connect\$4) same ((drop\$4 block\$4 allow\$4) near4 (session communicat\$4 connect\$4 packet)))) AND ((simulat\$4 test\$4 replicat\$4 duplicat\$4 clon\$4) near6 (system machine device) with (threat\$4 virus worm attack\$4 hack\$4 malicious mal\$2ware\$2 DoS IDS firewall)) AND (@ad< "20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/22 14:14
S33	633	((simulat\$4 replicat\$4 duplicat\$4 clon\$4 test\$4) near6 (system machine device server host computer PC) with ((IDS (intrusion near3 (detect\$4 prevent\$4)) ((scan\$4 detect\$4) near4 (virus worm threat\$4 attack malicious hack\$4 DoS)))) AND ((drop\$4 block\$4 forward\$4 re\$2direct\$4 allow\$4) near5 (message packet session connect\$4)) AND (@ad< "20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/23 08:53
S34	20	((simulat\$4 replicat\$4 duplicat\$4 clon\$4 test\$4) near6 (system machine device server host computer PC) with ((IDS (intrusion near3 (detect\$4 prevent\$4)) ((scan\$4 detect\$4) near4 (virus worm threat\$4 attack malicious hack\$4 DoS)))) AND ((drop\$4 block\$4 forward\$4 re\$2direct\$4 allow\$4) near5 (message packet session connect\$4) with (virus worm threat\$4 attack malicious hack\$4 DoS)) AND (@ad< "20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/23 08:54

S35	28	((simulat\$4 replicat\$4 duplicat\$4 clon\$4 test\$4) near6 (system machine device server host computer PC) with ((IDS (intrusion near3 (detect\$4 prevent\$4)) (scan\$4 detect\$4) near4 (virus worm threat\$4 attack malicious hack\$4 DoS)))) AND (((drop\$4 terminat\$4 block\$4 forward\$4 re\$2direct \$4 allow\$4) near5 (message packet session connect\$4) with (virus worm threat\$4 attack malicious hack\$4 DoS)) AND (@ad<"20031030"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/23 08:54
S36	4	"6279113".pn. "5557742". pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/23 09:18
S37	52	((simulat\$4 replicat\$4 duplicat\$4 clon\$4 test\$4) near6 (system machine device server host computer PC) with ((IDS (intrusion near3 (detect\$4 prevent\$4)) (scan\$4 detect\$4) near4 (virus worm threat\$4 attack malicious hack\$4 DoS)))) AND ((direct\$4 re\$2direct \$4) near7 (test\$4 similat\$4) near5 (system server machine host client computer device PC)) AND (((drop\$4 block\$4 forward\$4 re\$2direct\$4 allow\$4) near5 (message packet session connect\$4)) AND (@ad<"20031030"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/23 09:23
S38	66	((simulat\$4 replicat\$4 duplicat\$4 clon\$4 test\$4) near6 (system machine device server host computer PC) with ((IDS (intrusion near3 (detect\$4 prevent\$4)) (scan\$4 detect\$4) near4 (virus worm threat\$4 attack malicious hack\$4 DoS)))) AND (((direct\$4 re\$2direct \$4) near5 (test\$4 similat\$4 duplicat\$4 replicat\$4) near5 (system server machine	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/23 09:24

		host client computer device PC)) AND ((drop\$4 block\$4 forward\$4 re\$2direct\$4 allow\$4) near5 (message packet session connect\$4)) AND (@ad< "20031030")				
S39	9	("5557742" "6279113" "6408391" "6513122").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/23 09:35
S40	4	(baehr near3 geoffrey).in. AND (packet near2 filter\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/23 09:57
S48	8	("5832208" "6088803" "5960170" "6205551").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/23 10:02
S49	126	((IDS (intrusion near3 (detect\$4 prevent\$4))).ab. AND (((simulat\$4 test\$4) (copy\$4 clon\$4)) near5 (packet message) same (drop\$4 block\$4 forward\$4 re\$2direct\$4 allow\$4)) AND (@ad< "20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/23 10:10
S50	2	(ramsey near3 jon).in. AND security.ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/23 10:14
S51	109	((updat\$4 add\$4) near4 (virus near3 signature)) AND (@ad< "20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/23 14:33
S52	32	((updat\$4 add\$4) near4 (virus near3 signature) with (host client PC computer)) AND (@ad< "20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/23 14:33

S53	3	((updat\$4 add\$4) near4 (virus near3 signature) with (host client PC computer) same pattern) AND (@ad<"20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/23 14:35
S54	135	(IDS (intrusion near3 (detect \$4 prevent\$4))).ab. AND (((simulat\$4 test\$4) (copy\$4 clon\$4 replicat\$4)) near5 (packet message) same (drop\$4 block\$4 forward\$4 re\$2direct\$4 allow\$4)) AND (@ad<"20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/13 15:51
S55	27	(IDS (intrusion near3 (detect \$4 prevent\$4))).ab. AND (((simulat\$4 test\$4) (copy\$4 clon\$4 replicat\$4)) near5 (machine host network PC computer laptop phone device) with (packet message) same (drop\$4 block\$4 forward\$4 re\$2direct\$4 allow\$4)) AND (@ad<"20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/13 15:52
S56	614	(IDS (intrusion near3 (detect \$4 prevent\$4))) AND (((simulat\$4 test\$4) (copy\$4 clon\$4 replicat\$4)) near5 (machine host network PC computer laptop phone device)).ab. AND ((packet message) with (drop\$4 block\$4 forward\$4 re\$2direct\$4 allow\$4)) AND (@ad<"20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/13 15:56
S57	3	(IDS (intrusion near3 (detect \$4 prevent\$4))) AND ((simulat\$4 test\$4) with (copy\$4 clon\$4 replicat\$4) near5 (system machine host network PC computer laptop phone device)).ab. AND ((packet message communicat\$4) with (simulat\$4 test\$4) with (drop\$4 block\$4 forward\$4 re\$2direct\$4 allow\$4)) AND (@ad<"20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/13 15:58

S59	4	((IDS (intrusion near3 (detect \$4 prevent\$4))) AND ((simulat\$4 test\$4) with (copy\$4 clon\$4 replicat\$4) near5 (system machine host network PC computer laptop phone device)).clm. AND ((packet message communicat\$4) with (simulat\$4 test\$4) with (drop\$4 block\$4 forward\$4 re\$2direct\$4 allow\$4)) AND (@ad< "20031030"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/14 11:52
S60	6	((IDS (intrusion near3 (detect \$4 prevent\$4))) AND ((simulat\$4 test\$4) with (copy\$4 clon\$4 replicat\$4 duplicat\$4) near5 (system machine host network PC computer laptop phone device)).clm. AND ((packet message communicat\$4) with (simulat\$4 test\$4) with (drop\$4 block\$4 forward\$4 re\$2direct\$4 allow\$4)) AND (@ad< "20031030"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/14 11:52
S61	55	((IDS (intrusion near3 (detect \$4 prevent\$4))) AND ((simulat\$4 test\$4) with (copy\$4 clon\$4 replicat\$4 duplicat\$4) near5 (system machine host network PC computer laptop phone device)) AND ((packet message communicat\$4) with (simulat\$4 test\$4) with (drop\$4 block\$4 forward\$4 re\$2direct\$4 allow\$4)) AND (@ad< "20031030"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/14 11:53

EAST Search History (Interference)

< This search history is empty>

4/ 14/ 2010 12:08:45 PM

C:\Documents and Settings\lpham7\My Documents\EAST\Workspaces\10\10-576-250.wsp